

PREOPERATIVE GUIDELINES

LOCAL PROCEDURES

ONE WEEK BEFORE SURGERY

Discontinue taking aspirin, Advil, Nuprin, Aleve, Motrin or any drugs containing aspirin for at least 7 days before your surgery. All Herbal supplements, diet drugs or supplements, extra vitamin E, or any other oil supplements should be discontinued. These medications interfere with normal blood clotting. Tylenol can be used if necessary. You may continue to take a multivitamin and 2000mg Vitamin C daily. Please refer to the list of medications to avoid on page 2.

Refrain from drinking alcoholic beverages for at least 5 days prior to your surgery. Alcohol acts as a blood thinner, making it difficult to control bleeding during surgery.

<u>Do not smoke.</u> Nicotine acts as a vasoconstrictor (reduces blood supply, and slows healing). Smokers have a greater risk of skin or flap loss and wound healing complications. Second hand smoke can also delay wound healing, and increase the risk of wound healing. Smoking and second hand smoking can adversely affect the quality and character of the final scar.

Avoid sunbathing to the planned surgical area 1 week before surgery. Sunburn increases bleeding at the time of surgery, as well as during the healing phase after surgery.

Wash surgical site twice a day with an antibacterial soap for 48 hours before surgery.

THE DAY BEFORE SURGERY

For procedures requiring only local anesthesia, there is no need to fast and please take all of your regular medications up to and including the day of surgery (especially blood pressure or diabetes medications).

THE DAY OF SURGERY

For local procedures you may drive yourself to and from the Office or Hospital

Remove all makeup, nail polish, hairspray or mousse etc, before coming to the hospital if surgery is to be performed on the head, neck or face.

If your procedure is at the Hospital, be sure to bring your Consent Forms with you!

MEDICATIONS TO AVOID PRIOR TO SURGERY

Anticoagulants and Antiplatelet Agents, such as COUMADIN, WARAFIN, DIPYRIDAMOLE OR PERSANTINE, HEPARIN, LOVENOX, TICLOPIDINE (TICLID), TRENTAL, PLAVIX, PRADAXA AND PLETAL, MAY NEED TO BE STOPPED AS DIRECTED BY YOUR ORDERING PHYSICIAN A FEW DAYS PRIOR TO YOUR SURGERY.

- MANY OVER THE COUNTER DRUGS CONTAIN ASPIRIN AND/OR IBUPROFEN. CHECK THE DRUG LABEL FOR THIS INFORMATION
- INFORM YOUR DOCTOR OR NURSE OF ALL PRESCRIPTION DRUGS YOU ARE TAKING.
- IF YOU HAVE ANY QUESTIONS ASK YOUR DOCTOR OR PHARMACIST

The following drugs and supplements either contain aspirin and/or have undesirable side effects that may affect your surgery (abnormal bleeding and bruising). These drugs should be avoided for <u>7 DAYS</u> prior to minor surgery or <u>14 DAYS</u> prior to major surgery. If you need to take something for relief of minor pain you may take Tylenol.

A.S.A./A.S. Enseals
Actron
Acuprin
Advil
Aggrenox
Aleve
Alka-Zeltzer
Alka-Zeltzer Plus
Amitriptyline
Anacin
Anaprox
Ansaid
Argesic-SA
Arthritus Pain Formula
Arthritis Strength Bufferin
Arthropan Liquid
Ascriptin (all formulas)
Aspergum
Aspirin (all brands)
Atromid
Bayer Aspirin
BC Powder
Buff-A Comp
Bufferin
Buffets II
Buffinol
Buff-Tabs
Butazolidin
Cama Arthritis Pain Reliever
Carisoprodol Backache Formula
Cataflan
Clinoril
Cope Tablets
Compound Bufferin (all formulas)
Cramp End
Dabigatran

Damason P

Diclofenac

Daypro

Disalcid

Dolobid

Dristan

Easprin

Doan's

Ecotrin Empirin with codeine Endep **Equagesic Tablets** Etrafon Excedrin Endodan **Fiorinal** Fish Oil (all brands) Fiortal with codeine Ginko Biloba Glucosamine Chondroitin Goody's Halfprin Helidac Therapy Ibuprofen Indomethacin Lanorinal Indocin Kaopectate Krill Oil Lobac Lodine Lortab ASA Lovaza Maalox Magsal Mediprim Meclomen Methcarbamol with Aspirin Midol Mobigesic Momentum Muscular Mobic Motrin Monogesic Nalfon Naprosyn

Pamelor **Pamprin** Parnate Pediaprofen Pepto-Bismol Percodan Propoxyphene Compound 65 Phenylbutazone Ponstel Phentermine Pradaxa O-profen Red Yeast Rice Relafen Rivaroxaban Robaxisal Rufen Roxiprin Salflex Salsalate Salocol Sine Aid/Off/Sinutab "Statin Drugs" SK-65 Compound St. John's Wort St. Joseph's Cold Tab Soma Compound Sulindac **Synalgos Talwin** Tolectin **Tolmetin** Toradol Triaminicin Triavil Trigesic Trilisate Tablets/Liquid Vanquish Vicoprofen Vitamin E Voltaren

YSP

Zoprin

Naproxen

Nuprin

Omacor

Oruvail

Norgesic/Norgesic Forte

Omega-3 Fish Oil